

Create Products to Improve Safety !

Since 1985



EASTSEA RUBBER
东海橡胶



Traffic Safety



About Us

50,000+Sqm Production Area

ZheJiang Eastsea Rubber Factory [Eastsea Rubber] was established in 1985 as one of the earliest manufacturer after China's reform and opening up.

We specialize in production and development of Rubber and Plastic Products for application to Traffic, Parking, Cable, Ramp, Ground safety industry. In addition, we offer OEM and ODM service which are supported by our R&D team which has over 30 years experience in this Industry.

Eastsea Rubber is dedicated to providing our customer with the most advanced Technology available. We have implemented a Stringent quality control standard to ensure our customers in North America and Europe have quality products in this ever-changing Global Markets.

At Eastsea ,quality is our number one commitment, we work diligently developing new material compositions and products that conform to MUTCD, ASTM, AS/NZS and CE Standard. During this process we carefully analyzes every step to ensure that our customers always to receive the best quality products.

We are a company committed to building long-term partnerships with our customers all around the world. Our goal is to be your primary source for all kinds of Traffic, Parking, Cable, Ramp, Ground Safety Products.

Contents

- | | |
|-----------------------------|--------------------------------------|
| 01 Traffic Cone | 38 Rubber RoundAbout |
| 07 Collapsible Cone | 39 Pedestrian Crossing Island |
| 08 Collapsible Traffic Cone | 40 Rubber Pedestrian Crossing |
| 09 Message Cone & Sign | 41 Delineator Panel |
| 10 Retractable Cone Topper | 43 Delineator Post |
| 11 Traffic Cone Bar & Chain | 46 Barrier |
| 12 TPU Flexible Post | 51 Flexible GuardRail for Cycle Lane |
| 14 Bicycle lane delineator | 52 Safety Drum |
| 16 PU Decorative Bollard | 53 Collapsible Plastic Signs |
| 17 Assemble Post Sign | 55 Road Edge Guide Post |
| 18 EVA Flexible Bollard | 56 Flexible Guide Post |
| 19 Spring Back Panel | 57 PU Delineator Flag |
| 22 Lane Separator System | 58 Wall / Guardrail Reflector |
| 25 Quick Chain Curb | 59 Road Stud |
| 26 Lane Rumble Curb | 61 Stop /Go Paddle |
| 27 Speed Hump | 62 Traffic Flag |
| 34 Rumble Stripe | 63 Cone Topper LED Light |
| 35 Rumble Bar | 64 Tape |
| 36 Tire Killer | 65 Traffic Batton |
| 37 Rubber Speed Cushion | |

New Zealand SlimLine Traffic Cone



3M 3340 reflective and prismatic material

- High impact resistant
- High nighttime reflectivity over a wide range of angles



Recessed Topper Handle



Double InterLock Design

Slim body Cone is made of special orange color and meet the New Zeland standard with recycled PVC orange base inside.

1. Special design on top with recessed area, easy to carry
2. Recessed area on cone body to protect the reflective tape very well
3. Can be made a single piece without the recycled orange PVC base inside
4. With 3M tape
5. Meet New Zeland Standard

With 3M tape



A Flexible Solution

for Highly Visible Traffic Cones

MODEL NO	Height	Base Width	Weight
DH-TC-90SNR	910MM	360MM	4.0Kg
DH-TC-90SNR2	910MM	360MM	4.5Kg
DH-TC-90SNRB	910MM	360MM	5.0Kg

PVC Traffic Cone _ Regular Black Base



Double InterLock Design



Sqaure Lock Pins

American And European Style For Your Options!

Black Base Traffic Cones are made up of Fluorescence Orange PVC Cone Body and Recycle PVC Black Base. The two parts interlock as a single inseparable piece, and would not separate even Heavy truck run over them.



Light Lock System Design on Topper



View Testing Video

HEIGHT	300MM	450MM	500MM	710MM	750MM	910MM
BASE WIDTH	220MM	270MM	280MM	360MM	400MM	360MM
WEIGHT OPTIONS	1.0Kg	1.4Kg	2.0Kg	3.1Kg 3.5Kg 4.5Kg	3.2Kg 4.2Kg 5.0Kg	3.5Kg 4.5Kg 5.5Kg

PVC Traffic Cone _ New Handle Black Base



American And European Style For Your Options!

The PVC cone could be twisted and pressed in 180 degrees. It could also reinstate when you make its top touch the floor, with high flexibility against the run over and impact of the cars. Because of good weather resistance, it won't deform in high temperature 65°C and craze in low temperature -30°C.



Recessed Handle Topper



View Testing Video

HEIGHT	300MM	450MM	500MM	710MM	750MM	910MM
BASE WIDTH	220MM	270MM	280MM	360MM	400MM	360MM
WEIGHT OPTIONS	1.0Kg	1.4Kg	2.0Kg	3.1Kg 3.5Kg 4.5Kg	3.2Kg 4.2Kg 5.0Kg	3.5Kg 4.5Kg 5.5Kg

PVC Traffic Cone _ Solid



American And European Style For Your Options!

- Single Piece Made of Fluorescence Orange PVC
- Environmentally-friendly 100% recyclable
- Extreme durability&superior flexibility



HEIGHT	300MM	450MM	500MM	710MM	750MM	910MM
BASE WIDTH	220MM	270MM	280MM	360MM	400MM	360MM
WEIGHT OPTIONS	0.7Kg	1.1Kg	1.2Kg	2.0Kg 2.3Kg 2.8Kg	2.0Kg 4.0Kg 5.0Kg	3.5Kg 3.8Kg 4.2Kg



Recessed Topper Handle

PVC Traffic Cone _ Flow Type




Flowing Cover Base

American And European Style For Your Options!

Flowing Base Traffic Cones are made up of Fluorescence Orange PVC Cone Body and Recycle PVC Black Base Inside. The two parts interlock as a single inseparable piece, and would not separate even Heavy truck run over them. Also, High-density base creates low center of gravity for maximum stability.

- Flowing Locking Design for Hiding the base INSIDE
- Fluorescence Orange with 2 years warranty
- The Same Outline As Solid Orange Cone
- Meet American MUTCD standard

HEIGHT	300MM	450MM	710MM	910MM
BASE WIDTH	220MM	270MM	360MM	360MM
WEIGHT OPTIONS	1.0Kg	1.4Kg	3.1Kg 4.5Kg	4.5Kg 5.5Kg



3 Version Different Base For your Options

VERSION	MATERIALS	PRODUCTION PROCESS	WEIGHT	CENTER OF GRAVITY	PRICE
BLACK BASE	Recycle Base Vigin Body	Base and Body Thermal Interlocking	Heavy	In the Base	Low
SOLID ORANGE	All Vigin	One-Piece Construction	Light	In the Body	High
FLOWING BASE	Recycle Inner Vigin Outer Layer	Inner and Outer Layer Thermal Interlocking	Heavy	In the Base	Medium



PE Traffic Cone



Recessed Handle Topper

American And European Style For Your Options!

Blowing Traffic cone, made of PE material and Rubber black base with different height and weight, there are 45cm, 50cm, 70cm, 75cm, 90cm and 100cm for your choice. Base and cone can be locked together with special design, can be packed separately.

- Can be made of different colors and height, weight for your choice.
- Interlocking design for cone and base, easy to install and shipping.
- Can be fix the LED light on top of the cone.
- More competitive price with good quality.



HEIGHT	450MM	500MM	710MM	750MM	910MM	1000MM
BASE WIDTH	270MM	280MM	360MM	400MM	360MM	500MM
WEIGHT OPTIONS	1.5Kg	2.5Kg	3.1Kg 4.2Kg	2.5Kg 4.2Kg 4.7Kg 5.7Kg	3.3Kg 4.3Kg	4.3Kg 5.0Kg 6.0Kg



View Testing Video

Collapsible Cone



Light Orange And Heavy Black Base For Your Options!

Collapsible traffic cones are highly visible during the day, even more so at night since they are illuminated from the inside by a battery powered LED light. It could be collapsed so take up very little room in a vehicle when not in use.



Bottom LED Light



Handle Bags for Easy Carry



LED Light Pre-Installed in Bottom



Top LED Light Stored in Base

MODEL NO	DH-RTC-50	DH-RTC-70	DH-RTC-90	DH-RRC-50	DH-RRC-70
HEIGHT	500MM	700MM	900MM	550MM	720MM
BASE WIDTH	250MM	310MM	440MM	300MM	360MM
BASE HEIGHT	36MM	50MM	60MM	50MM	50MM
TOTAL WEIGHT	0.65Kg	1.1Kg	2.0Kg	2.6Kg	3.2Kg
LED LIGHT	Separate			Pre-Installed	

Collapsible Traffic Cone with Light Orange Base



With super reflection at night



3M Rs20 or Rs64 DG Grade for options



50cm and 70cm for options



Collapsible from 70cm to 5cm

Retractable road cone is small in size, easy to operate and carry. The vertebral body is made of waterproof and reflective Oxford cloth. It is flexible and has the advantages of anti-aging, heat resistance, cold resistance, no cracking color and long service life. The base is made of PE material and the body is with a good reflection at night for its reflective bands.

The highest level light fastness is 8.5. -40~70 °C. Softening when used, weather resistance is more than 2 years. It is suitable for temporary separation of traffic flow, guiding traffic, guiding vehicles to pass dangerous sections, and protecting construction site facilities and personnel.

Model	Base size	Max height	Min height	Weight	Material
DH-RRC-70	34.5*34.5CM	71CM	5.5CM	1.2KG	ABS Base+Oxford+Reflex Stripe
DH-RRC-50	29*29CM	51CM	5CM	0.8KG	ABS Base+Oxford+Reflex Stripe

Message Cone & Sign



Print Warning Message Or Advertisement

Light weight, versatile sign are excellent for effective safety communication with employees or customers. Any other Text could be custom-made.

MODEL NO	STYPE	WIDTH	HEIGHT	WEIGHT	BODY COLOR	PRINTING COLOR
DH-FS-1	A-Frame	300MM	620MM	0.6Kg	Yellow	Black/Red
DH-FS-2	Square Cone	280MM	670MM	1.1Kg	Yellow	Black/ Red
DH-PE-4	Square Cone	400MM	700MM	2Kg	Black	Yellow /Red
DH-FS-SIGN	Top Sign	260MM	260MM	0.2Kg	Red	Yellow /Black




View Testing Video

Retractable Cone Topper



3m And 9m Length For Your Options !

This retractable cone top safety barrier saves you both space and cones. The cone topper extends out to 9m with a 50mm width striped safety band. It features four sided connections for cordoning off a restricted area or building a temporary barrier.



This retractable T-Top Topper is designed to connect with T-Top Delineator Post, It could be extent out to 9m with a 50mm width striped safety band. It features four sided connections for cordoning off a restricted area or building a temporary barrier.

MODEL NO	BAND LENGTH	BAND COLOR	SHELL HEIGHT	SHELL COLOR	BAND BRAKE SYSTEM
DH-TOP-1	3.0Meter	Yellow/Black/Red/White	250MM	Orange/Yellow	NO
DH-TOP-2	9.0Meter	Yellow/Black/Red/White			Included
DH-TOP-3	9.0Meter	Yellow/Black/Red/White			Included

Traffic Cone Bar & Chain



2.5M and 3.6M length for your options !

- Black/yellow or White/Orange stripes for visual intensity.
- Retractable from 1150MM to 2500MM.
- Used in combination with the traffic cones, these cone bars form a temporary barrier.
- Controlling crowds and warning of road hazards and directing the traffic.



DH-Sign-Lock-3+Panel




MODEL NO	MAX LENGTH	MIN LENGTH	POLE DIAMETER	RING DIAMETER	COLOR
DH-TCB-1R	2500MM	1300MM	35MM	105MM	White/Red/Orange
DH-TCB-1Y	2500MM	1300MM	35MM	105MM	Yellow/Black
DH-TCC-1R	2000MM	No	20MM	105MM	White/Red

Assemble Cone Sign

Assemble Cone / Post Signs

The assemble signs are used to guide traffic or to provide warning of approaching hazards. You can use the signs in any situation where you put the warning sign Sticker simply and safely by warning on the boards.

MODEL NO	DH-SIGN-A1-L1	DH-SIGN-A4-L1
TYPE	Round Board	Square A4 Board
SIGN DIMENSION	20CM Diameter	210mm×297mm
WEIGHT	0.45Kg	0.45Kg
AVAILABLE COLOR	Orange	Orange / White



Assembling TPU Flexible Post



3 Different Style Bases for your Options



3 Separate Lock Parts With Max Strength



- High Impact Resistance and returns to vertical after impact.
- Composed of TPU flexible post, interlock, and 3 Types in round, square and rectangular.
- Four cat eyes in the rectangular base improve the visibility in night time.
- Save 50% Freight Than Traditional Single-Piece Post.



Rotation InterLock System

MODEL NO	Height	Post Dia	Weight	Reflective Strips	Base
DH-AFP-75	75CM	8CM	1.5Kg	3 x 55MM	3 Base for Options
DH-AFP-90	90CM	8CM	1.7Kg	150 +100MM	
DH-AFP-100	100CM	8CM	1.7Kg	4 x 55MM	

Single-Piece Flexible Post



Available in Multiple Color



10.000Times Crush Testing



Thread Design for Better Flexibility



TPU Single-Piece Flexible Post

- Made Of Durable TPU Materials with fluorescence Orange
- Thread Design in the Bottom Increase the Resilience.
- Recessed Design of Reflective Tape Area.
- Applicable to Hot and Cold Environment.

MODEL NO	HEIGHT	BASE WIDTH	POST DIAMETER	WEIGHT	BEARING WEIGHT
DH-FP-75N	750MM	200MM	100MM	1.3kg	20Tons Truck at 100KM/H



View Testing Video

Bicycle lane delineator



2 Base for Options















Design for Best Elasticity

Black Base Traffic Posts are made up of PE Body and Recycle PVC Black Base. The two parts interlock as a single inseparable piece, and would not separate even Heavy truck run over them.

- Reboundable from any direction.
- Round Bollard provides 360 degrees of reflectivity.
- Made of durable polypropylene for flexibility and strength.

MODEL NO	SANDARD HEIGHT	BOLLAR DIAMETER	BASE WIDTH	REFLEX TAPE	BEARING CAPACITY
DH-RP-90	900MM	70MM / 50MM	200MM	3x50MM HI Tape	5 Tons Weight at 100km/h Speed
DH-RP-105	1050MM			3x50MM HI Tape	
DH-RP-120	1200MM			4x50MM HI Tape	


What's Difference of 4 SpringBack Post

Model No	DH-RSP-1	DH-RSP-2	DH-RSP-3	DH-IRS
Part	HDPE Post + Round Base + SpringBack Adaptor	HDPE Post + Square Base + SpringBack Adaptor	HDPE Post + SpringBack Base	HDPE Post + Square Base + Spring Adaptor
Assembled				
SpringBase Adaptor				
Base				
Total Height	90 -120CM	90 -120CM	90 -120CM	90 -150CM
Impact Capacity	Below 20Km/H Impacting	Below 20Km/H Impacting	Below 100Km/H Impacting	Below 20Km/H Impacting
Spring Materials	TPU	TPU	TPU	Steel Spring
Post Diameter	70MM	70MM	55MM	60MM
Application	Street Bike Lane	Street Bike Lane	High-Way	High-Way

PU Decorative Bollard _ Square Base



Anti- Impacting



Assemble Lock Base System

- 1. Made from durable Polyurethane;
- 2. Height could be extended from 65CM to 90CM;
- 3. 8CM and 10CM Diameter for Options;
- 4. 6 Different Decorative Topper;
- 5. High Impact Resistance and returns to vertical every time after impact;
- 6. Square Base with 4 Screws Holes;



The Above Bollard Height are available in 65CM, 80CM, 95CM, 110CM


Assemble Post Sign



Assemble Cone / Post Signs

The assemble signs are used to guide traffic or to provide warning of approaching hazards. You can use the signs in any situation where you put the warning sign Sticker simply and safely by warning on the boards.

MODEL NO	DH-SIGN-A1-L2	DH-SIGN-A4-L2
TYPE	Round Board	Square A4 Board
SIGN DIMENSION	200MM Diameter	210MM×297MM
WEIGHT	0.45Kg	0.45Kg
AVAILABLE COLOR	Orange	Orange / White



Chain Adaptor

20MM Diameter Adaptor for Plastic Chain and Flexible Post.



View Testing Video

EVA Flexible Bollard



- The Super Flexible Bollard are made of Flexible EVA and designed for road separator & delineator.
- Molded the Scew and Washer in the base together for easily installation.
- High Impact Resistance and returns to vertical every time after impact.
- Top recessed Handle Design for easy spin and fix into the ground.



DH-FB-2



Screw and Washer Molded Inside



Recessed Handle Topper



Available in White, Green, Yellow, Blue, Red

DH-FB-75N



MODEL NO	HEIGHT	BASE WIDTH	POST DIAMETER	REFLEX	TOTAL WEIGHT
DH-FB-75N	750MM	200MM	200MM	2x100MM	1.8kg
DH-FB-2	700MM	200MM	200MM	2x100MM	1.8kg

SpringBack Sign _UK Style



SpringBack System



3M reflective sheets for Super vision

- 1. Combined by Engineering SpringBack System and Plastic Panel ;
- 2. Fixed onto Ground by 4 Expansive Screws;
- 3. Weather resistant to temperature -20- 60°C;
- 4. Provide various Color / Grade Reflective Sheet for options;
- 5. Impact / Crush resistant , recoverd in a second after car crushing below 20Km/H.

Model	Panel Width	Panel Height	Base size	Sign Size	Weight	Bearing Capacity
DH-FB-3	36CM	95CM	20x20CM	23CM Dia	2.6Kg	5Tons at 40KM/H

SpringBack Traffic Sign _ Changeable Sign



Impact resistant, can recover swiftly after rolling over




Springback System

- 1. Combined by Engineering SpringBack System ,Plastic Panel and Plastic Sign;
- 2. The Top Sign could be changed by screws & Nut, also could be Square Sign instead of Round Sign.
- 3. Fixed onto Ground by 4 Expansive Screws;
- 4. Weather resistant to temperature -20- 60°C;
- 5. Provide various Color / Grade Reflective Sheet for options;
- 6. Impact / Crush resistant , recoverd in a second after car crushing below 20Km/H.

Model	Panel Width	Panel Height	Base size	Sign Size	Weight	Bearing Capacity
DH-FB-4	19CM	110CM	20x20CM	Custom-Made	2.0Kg	5Tons at 40KM/H

SpringBack Sign _ Cycle Lane



Streamlined design,
beautiful appearance




Reserve holes for easy installation


This Spring Back Combined by Engineering SpringBack System and Plastic Sign for Cycle Lane. In addition, the engineering components at the bottom have high resilience, which will not cause damage to people and vehicles when it is impacted. Large area 3M reflective film, better warning effect at night; smaller base size, suitable for more road scenes; good weather resistance, impact resistance, high temperature and severe cold.

Model	Panel Width	Panel Height	Base size	Sign Size	Weight	Bearing Capacity
DH-FB-5	25CM	75CM	20x20CM	23CM Dia	2.0Kg	5Tons at 40KM/H

Expansible Lane Separator System



SpringBack Panel



















PU Flexible Post

Springback Post & Panel For Options!


The Lane Separators Base is manufactured from recycled Rubber, perform a wide variety of uses in traffic management. They can be used to indicate lane separation, cycle lanes, parking bay indication, tramways, marking of traffic lanes in carpark entrance and exit ramps etc.

MODEL NO	RUBBER BASE				RECOVERY SYSTEM				REFLEX
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	
DH-TS-1MTLP	1000MM	275MM	85MM	14kg	HDPE Post	900MM or More	φ 75MM	1 Kg	3 x 50MM Stripes
DH-TS-1MTLFB1					ABS Panel	750MM	150MM	0.8 Kg	500x130MM HIP Stripes
DH-TS-12M[75P]					TPU Post	750MM	φ 80MM	0.8 Kg	3 x 50MM Stripes
DH-TS-12M[100P]					TPU Post	1000MM	φ 80MM	1 Kg	4x 50MM Stripes

What's Difference of 4 System Lane Separator ?

Part	HDPE Post + PU SpringBack Adapter	ABS Panel + PU SpringBack Adaptor	PU Flexible Post	HDPE Panel + PU SpringBack Adaptor
Assembled				
Separated				
Connector				
SpringBase Adaptor				
Total Height	90 -120CM	75CM	75Cm, 90Cm or 100CM	73Cm or 100CM
Impact Capacity	Below 20Km/H Impacting	Below 20Km/H Impacting	Below 100KM/H Impacting	Below 100KM/H Impacting
Base Materials	Rubber	Rubber	Rubber	PVC + Full Reflection

Individual Lane Separator System



2 Different Posts For Your options





View Testing Video

A Most Easy Way Solution To Separate Lanes!

- Can be quickly and easily put in position without tools;
- No collection of water as Channel designed in the bottom;
- 3 Different SpringBack Post & Panel for your options;
- Outstanding road grip by the skid-resistant Rubber Base;
- To be removed from the traffic lane without traces;

Quick Chain Curb



Chain Separator Curb is designed for different shape Curb System, Round, Rectangle, Triangle and any Irregular shape.



MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-TS-10	400MM	145MM	170MM	7.5kg

Lane Rumble Curb



Rubber Lane Rumble is the Quick and Easy way to Create a Centre Median or Separate lanes to ensure motorists comply with the Intended Tavel Way.

MODEL NO	UNIT LENGTH	UNIT WIDTH	UNIT HEIGHT	UNIT WEIGHT	COLOR
DH-TS-11[Y]	1000MM	150MM	50MM	7.0kg	Yellow
DH-TS-11[R]					Red
DH-TS-11[B]					Black

Zebra Lane Separator



3 Heights For Your Options !

- Made of durable rubber material to keep long life span;
- Three Pre-molded bolt holes for fixing into the ground;
- Six pieces of Beads tapes provide high visibility at night;
- Hump shape indicate car and bike back to their lane;
- 5, 9 and 12CM Height For your Options.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-TS-14	720MM	120MM	50MM	2.5kg
DH-TS-15	765MM	165MM	90MM	4.2kg
DH-TS-16	820MM	200MM	120MM	10kg

TPU Speed Hump



Cat-Eye Molded



Male And Female Connector

TPU speed humps are made of durable TPU materials that have all the benefits of the stationary speed humps, but can be dismantled part by part and installed by regular screws; Perfect for calming traffic by the anti-slip pattern design. The speed humps weigh less than 2kg each piece, and are easily handled by one person.

MODEL NO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE WIDTH	REFLEX CAT-EYE	END LENGTH
DH-PSP-3	500MM	300MM	40MM	4PCS x ϕ 10MM	135MM
DH-PSP-4	500MM	350MM	50MM	4PCS x ϕ 10MM	135MM



View Testing Video

Speed Hump Yellow EPDM Rubber Embedded



Now most speed humps are glued Yellow Reflective Tape, normally the reflective tape would be only last 1-2 years maximum service life. But Eastsea Rubber embed the yellow EPDM rubber into speed hump through a special process, the yellow rubber will not be fade, fallen, crack under any conditions and environment. Further Eastsea Rubber provide 5 years quality assurance for all [Yellow EPDM Rubber Embedded] Speed Humps.

Molded Yellow Rubber Piece For Longer Service Life!



MODEL NO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	YELLOW EPDM STRIPE	END LENGTH
DH-SP-12	500MM	900MM	50MM	4PCS x 250MM Width	200MM
DH-SP-14		1100MM	75MM	6PCS x 250MM Width	
DH-SP-21		600MM	32MM	8PCS x 100MM Width	
DH-SP-22		900MM	50MM	6PCS x 250MM Width	
DH-SP-26	1830MM	300MM	50MM	5PCS x 120MM Width	190MM
DH-SP-28	900MM			3PCS x 120MM Width	
DH-SP-29	1200MM			4PCS x 120MM Width	

Speed Hump Yellow Bead Reflective Tape Bonded




DH-SP-11



DH-SP-1



DH-SP-2



DH-SP-16

Bead Tapes Provide High Visibility To Driver In The Day & Night!


These Speed Hump are bonded with yellow bead reflective tape of Preformed thermoplastic pavement markings by Super glue. The bead tapes provide High visibility to driver in the day & night.

MODEL NO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	YELLOW STRIPE	END LENGTH
DH-SP-1	500MM	600MM	32MM	8PCS x 100MM Width	200MM
DH-SP-2	500MM	900MM	50MM	6PCS x 250MM Width	250MM
DH-SP-6	1830MM	300MM	50MM	5PCS x 120MM Width	190MM
DH-SP-11	500MM	500MM	50MM	4PCS x 100MM Width	250MM
DH-SP-16	500MM	900MM	50MM	8PCS x 100MM Width	250MM
DH-SP-24	500MM	350MM	50MM	6PCS x 100MM Width	250MM

Steel Reinforced Speed Hump

Designed for the Extremely Heavy Traffic Application.

The Steel Plate Increase The Weight Capacity From 20tons To 60tons !



Steel Plate Molded Inside.

MODEL NO	MIDDLE LENGTH	WIDTH	HEIGHT	REFLEX CAT-EYE	END LENGTH
DH-216S	1000MM	450MM	60MM	8PCS x Φ10MM	250MM

Arrow Speed Hump Yellow EPDM Coated&Bead Tape Bonded



Yellow Rubber Pigment is Guaranteed By CIBA® within 2 years!



DH-SP-5



DH-SP-8



DH-SP-25



DH-SP-27

High Visibility Yellow Rubber And Bead Reflector.


The Arrow Speed Humps are designed for heavy traffic roads in High-Class Markets. The wide bojiyellow rubber section and white allow reflector provide maximal visibility to driver in the day & night. Further More, the wide body speed hump help the car/ truck run over the speed hump line smoothly without severe shock.



View Testing Video

MODEL NO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	REFLEX ARROW TAPE	END LENGTH
DH-SP-5	500MM	1000MM	75MM	1PCS x 200MM Width	250MM
DH-SP-8		550MM		1PCS x 200MM Width	
DH-SP-25		400MM	50MM	2PCS x 200MM Width	
DH-SP-27			75MM	2PCS x 200MM Width	

Speed Hump Yellow EPDM Coated



Yellow Rubber Pigment is Guaranteed By CIBA® within 2 years!

All of these series Speed Hump are made from durable recycle tire rubber with Yellow EPDM coating. The yellow/black rubber will not be faded, fallen, cracked under any conditions and environment. Eastsea Rubber provides 2-year quality assurance for all Yellow EPDM Rubber Coated Speed Humps.

MODEL NO	MIDDLE LENGTH	MIDDLE WIDTH	MIDDLE HEIGHT	REFLEX CAT-EYE	END LENGTH
DH-SP-9	500MM	400MM	40MM	2PCS x 70MM Width	250MM
DH-SP-10	300MM	500MM	50MM	2PCS x 70MM Width	
DH-209	1000MM	350MM	50MM	8PCS x ϕ MM	
DH-215	500MM	350MM	50MM	4PCS x ϕ MM	
DH-216	1000MM	450MM	60MM	8PCS x ϕ MM	
DH-217	250MM	350MM	50MM	4PCS x ϕ MM	

Portable Speed Bump



MODEL NO	MAX LENGTH	FOLD LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIALS	BAG SIZE	BEARING CAPACITY
DH-PSP-1	3Meter	360MM	250MM	25MM	12kg	TPU	360x250x310MM	20Tone
DH-NCCR-1	3Meter	500MM	300MM	40MM	16kg	TPU	500x400x300MM	20Tone
DH-NCCR-2	3Meter	500MM	350MM	50MM	18kg	TPU	500x500x350MM	20Tone



View Testing Video




Eastsea Portable Speed Bumps are made from durable PU materials that have all the benefits of stationary Speed Bump, but can be folded up and moved from location to location in seconds. Perfect for calming traffic during certain hours of the day, such as immediately before and after school, Eastsea portable, foldable Speed Bump weigh less than 12kg and are easily handled by one person.


Portable Speed Hump




Oxford Bag



Rubber Underlay



DH-PSP-2



DH-PSP-2B



View Testing Video

Anti-slip Mat In The Back

The highly visible system is designed for temporary speed control applications, where it is desired to slow traffic speeds to 40km/hr. The secret behind the success of the system is its unique 'waffle-style' rubber underlay, which maximises adhesion to the road surface as vehicles traverse..It has been designed for use around highway work zones to assist in reducing speeds and therefore creating a safer work environment for road workers.




Fabric Reinforced Rubber Pad




Steel Rod Connector with Max Strength

MODEL NO	MAX LENGTH	FOLD LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIALS	BAG SIZE	BEARING CAPACITY
DH-PSP-2	3000MM	540MM	250MM	50MM	13kg	PP	ϕ 540MM x 250MM	10 Tone
DH-PSP-2B	3000MM	530MM	250MM	40MM	13kg	PP	ϕ 540MM x 250MM	10 Tone

Rumble Stripe



DH-PSP-2B



Anti-Slip Pattern



Reflex Glass Beads

A durable and versatile Polyurethane rumble stripe for use as a speed moderator or lane divider on roadways. Ideal in residential complexes to slow the flow of vehicles. Alternatively, it can be used as a wall mounted bump protector. Can be installed with appropriate masonry fixings or glued using a suitable adhesive.

MODEL NO	LENGTH	WIDTH	HEIGHT	INSTALLATION
DH-RM-2	1200MM	250MM	25MM	4xM10 Screws
DH-SP-3	330MM	100MM	15MM	4xM6 Screws

Rumble Bar



Three different sizes

Rumble Bars are made of ABS material and widely used on the road to lower the speed or a road direction guide.

- 1. There are cat eyes on the both sides and easy to see them at night
- 2. Three different sizes for your choice
- 3. ABS material can be supported about 20 tons
- 4. Easy to install




Cat-Eye Reflector




Easy to install

MODEL NO	LENGTH	WIDTH	HEIGHT	REFLECTOR	SHELL MATERIALS
DH-NRS-1	100MM	100MM	20MM	3PCS Cat-Eye Each Side	ABS
DH-NRS-2	220MM	120MM	25MM	6PCS Cat-Eye Each Side	ABS
DH-NRS-3	300MM	170MM	50MM	6PCS Cat-Eye Each Side	ABS

Tire Killer



Steel



Rubber

The tire killer is often used in some strict traffic control area, where need to be blocked and controlled the vehicle enter or exit. Such as government location, police station, military base and some important parking areas.

Rubber Tire Killer is Available Now !
Molded Steel Plate Inner with Max Strength!


- Yellow EPDM Rubber Moled with Logest Life;
- Glass Bead Provide max visibility at Night;

MODEL NO	PART	LENGTH	WIDTH	HEIGHT	WEIGHT
DH-SP-TK-1M	Middle	1000MM	385MM	50MM	21Kg
DH-SP-TK-1EM	Male End Cap	270MM	385MM	50MM	1.6Kg
DH-SP-TK-2M	Middle	500MM	400MM	75MM	18Kg
DH-SP-TK-2E	End	200MM	400MM	75MM	5Kg




View Testing Video

Rubber Speed Cushion



France Style with Arrow Shape Reflector



Belgium Style with White Rubber Frame



Installation Accessories

Wooden Case Packages

Rubber Speed Cushions are made of recycled rubber tires. Rubber is lighter and easier to work with than asphalt and concrete, significantly minimizing the number of hours that need to be invested to install the solutions. Embedded reflective material increases visibility and safety, day or night.



Anti Skidding Design





Friction Coefficient > 0.45

MODEL NO	STANDARD	TOTAL LENGTH	TOTAL WIDTH	HEIGHT	TOTAL WEIGHT	PART	DIMENSION	WEIGHT
DH-SP-4	France	300MM	180MM	65MM	300Kg	Left End	1000x900x65MM	50kg
DH-SP-4G	Belgium					Middle	1000x900x65MM	50kg
DH-SP-4U	UK					Right End	1000x900x65MM	50kg

Rubber RoundAbout


Rubber roundabout in 8 parts diametre 3M or 2.4M, manufactured with glassbead tape and 8 Reflective eyecats which allow an excellent visibility. It is made in accordance to the regulations. It will help you to build a secure roundabout in less than 2 hours. Made from vulcanized virgin rubber and supplied with fixations, caps and Bone Connector.



3M Diamater Part



2.4M Diamater Part




Friction Coefficient > 0.45



Wooden Case Package



Bone Connector



Cat-Eye




Reflective Beads Tape

Installation Accessories:



MODEL NO	DH-RSP-3.0M	DH-RSP-2.4M
	COMPLETE SET	
DIMENSION	3.0 M Dia	2.4 M Dia
HEIGHT	10CM	10CM
TOTAL WEIGHT	400Kg	300Kg

Pedestrian Crossing Island



While Pedestrian safety islands may be used on both wide and narrow streets, they are generally applied at locations where speeds and volumes make crossings prohibitive, or where three or more lanes of traffic make pedestrians feel exposed or unsafe in the intersection.

- Completely made of vulcanized rubber movable modular parts.
- The upper surface has particular not slippery surface raised stud.
- Fixed to the ground by expansion screws and Bone Connector.
- The particular size of the modular parts may be used to meet any road.
- High-Intensity Reflective Pedestrian Crossing Sign Privode Better Night Visibility.



Anti-Slip Pattern


Individual Parts specification

MODEL NO	PART	LENGTH	WIDTH	HEIGHT	REFLEX
DH-PCI-M	Middle	500MM	500MM	75MM	No
DH-PCI-E	Side Cap				Beads Tape
DH-PCI-R	Corner				Beads Tape




View Testing Video

Rubber Pedestrian Crossing



Traditional Style Zebra Stripes Crossing



Checked Crossing



Diamond Crossing

- Completely made of vulcanized rubber movable modular parts.
- The upper surface has particular skidproof surface raised stud.
- Fixed to the ground by expansion screws and Bone Connector.
- The particular size of the modular parts can be used in all road size.
- High-Intensity Reflective Pedestrian Crossing Sign Better Night Visibility.

STANDARD MODEL	LENGTH	WIDTH	HEIGHT	PARTS	ACCESSORIES
DH-PC[6X3]	6.0Meter	3.0Meter	75MM	20 x Black Middle 20 x White Middle 28 x End Cap 4 x Corner Piece	126x"l" Connector 284x Screws Caps
DH-PC[7X4]	7.0Meter	4.0Meter		36 x Black Middle 36 x White Middle 36 x End Cap 36 x Corner Piece	202x"l" Connector 444x Screws Caps



View Testing Video

Delineator Panel




MODEL NO	HEIGHT	PANEL WIDTH	PANEL WEIGHT	PANEL MATERIALS	BASE WIDTH	BASE WEIGHT	MATERIALS
DH-VB-1	1150MM	250MM	2.0 Kg	HDPE	570x460MM	9.0 Kg	Recycle Rubber
DH-VB-2			2.0 Kg	HDPE	800x400MM	20.0 Kg	
DH-VB-3			2.0 Kg	PP	670x380MM	14.0 Kg	
DH-VB-4			2.0 Kg	PVC	540x470MM	12.0 Kg	
DH-VB-5	1150MM	250MM	2.0 Kg	HDPE	800x400MM	20.0 Kg	
DH-VB-6	1320MM	290MM	2.5 Kg	HDPE	800x400MM	20.0 Kg	

Use reflective Delineator Panels to mark the edges of roads and driveways and choose Engineer Grade reflective aluminum for standard 500' visibility or High Intensity reflective aluminum for 1000' visibility and added safety. The manifold anti-slide system on the bottom of each unit ensures an excellent laying stability on the road surface. It can be easily exchanged after abrasion.

Delineator Panel



3 Different Panel for your options



Top Design for Holding Light



Fit 60x60MM Holes

Delineator panel system is made of plastic panel and heavy rubber base. Easy to install and uninstall panel and base. Anti-skid Heavy duty base provides good stability, load capacity while something hit panel and base.


Panel				
Model No	Height	Width	Thickness	Weight
DH-VB-5	105CM	25CM	3CM	2.0CM
DH-VB-6	130CM	29CM	5CM	2.5CM
DH-VB-7	130CM	29CM	5CM	2.5CM

Base				
Model No	Length	Width	Thickness	Weight
DH-VB-Base-2	80CM	40CM	10CM	12KG
DH-VB-Base-7	53CM	29CM	8CM	9KG
DH-VB-Base-8	60CM	40CM	15CM	25KG

Plastic Chain Post



Caution Tape Delineator Post



- Highly visible posts and chains supported by heavy duty bases to create complete barriers;
- Ideal to manage crowd flow, cordon off a work area or restrict access to unauthorised persons;
- Suitable for use in warehouses, factories, hospitals, colleges, receptions, offices and events;
- Posts are fitted with chain support cap which easily allows the chain to be attached;

MODEL NO	HEIGHT	BOLLARD DIA	BOLLARD WEIGHT	BOLLARD MATERIALS	BASE WIDTH	BASE WEIGHT	BASE MATERIALS	REFLEX HEIGHT
DH-PGC-1	880MM	40MM	0.75kg	LDPE	350MM	6.0kg	Recycle Rubber	No
DH-GC-13	1300MM	100MM	0.75kg		350MM	6.0kg		3x5CM HI Tape




View Testing Video

Delineator Post



3 Different Post and Base for your options

Model No	Height	Diameter	Topper	Weight
DH-GC-1	105CM	10CM	T-Top	0.75Kg
DH-GC-2	105CM	10CM	T-Top	0.75Kg
DH-GC-9	105CM	10CM	Reflex Handle	0.75Kg
DH-GC-10	105CM	10CM	T-Top	0.75Kg
DH-GC-11	105CM	10CM	Round	0.75Kg
DH-GC-12	105CM	10CM	Looper	0.75Kg
DH-GC-14	105CM	10CM	π Topper	0.75Kg



- Convenient T-top carry handle and molded in bolt hole for flashing light;
- Improved recesses create a deeper area for reflective bands;
- Stronger ribs provide maximum band protection.

Collapsible Delineator Panel

- Top section made of Injection high impact plastic (PP)
- Carrying handles at base and panel
- Recessed sheeting panel
- Sturdy body; no bending in strong winds
- Base with anti-skid system



MODEL NO	RUBBER BASE				RECOVERY SYSTEM				REFLEX
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	
DH-TS-5CB1	350MM	320MM	100MM	5kg	Panel	750MM	150MM	0.8 Kg	500x130MM HIP Tape
DH-TS-4CB2	600MM	320MM	100MM	12kg	Panel	910MM	250MM	1.0 Kg	750x250MM HIP Tape


Spring Back Delineator Panel

- Made Up of Rubber Base , TPU SpringBack Foot Collapsible Hinge System and ABS Delineator Panel !
- Double Side High Intensity High Intensity Prismatic Tape !
- Handle Hole Design for Easy Move for Temporary Application.
- The ABS Delineator Panel could be Assembled without specific Hardware.



MODEL NO	RUBBER BASE				RECOVERY SYSTEM				REFLEX
	LENGTH	WIDTH	HEIGHT	WEIGHT	PART	HEIGHT	WIDTH	WEIGHT	
DH-TS-5LFB1	350MM	320MM	100MM	5kg	Panel	750MM	150MM	0.8 Kg	500x130MM HIP Tape
DH-TS-4LFB2	600MM	320MM	100MM	12kg	Panel	910MM	250MM	1.0 Kg	750x250MM HIP Tape

Barrier Board



The Barrier board system is ideal for construction sites and outdoor applications where a tough and durable barrier system is required. The ABS plastic board is supported by powdercoated steel or Injection legs.



View Testing Video

MODEL NO	TOTAL HEIGHT	TOTAL LENGTH	BOARD WEIGHT	BOARD MATERIALS	BASE WIDTH	BASE WEIGHT	MATERIALS	REFLECTOR
DH-BB-1	1000MM	2500MM	2.5Kg	ABS	500MM	5.0Kg	Steel	Double Side 15cm Width Engineer Grade or High-Intensity Tape
DH-BB-3						4.0Kg	Plastic	

Plastic Fence Barrier



360 Degree Rotate
2Kg Base



Extra Heavy Base
12Kg Base



22Kg ADA Compliance
Havey Base



Male Connector



Female Connector



Pre-Molded Holes
For Signature

- Excellent design for outdoor events, such as Sport events&festival, etc.
- Light weight makes it easy to handle. Special shoe design prevent walkers from tripping.
- Various Color for Customer Choice, also can be customer made. Hi Intensity Reflective tape provides high visibility at night.

MODEL NO	LENGTH	WIDTH	HEIGHT	WEIGHT	MATERIAL
DH-PFB-4	2000MM	400MM	1000MM	13.0Kg	HDPE
DH-PFB-5	1100MM	400MM	1000MM	8.0Kg	HDPE
DH-PFB-6	1100MM	200MM	1000MM	30.0Kg	HDPE



View Testing Video

Manhole Barrier

Manhole barrier is one of Eastsea Rubber new design products, it is designed and used in all kinds of construction areas, such as road maintenance, and block warning, etc.

- The Various color for customer choice, Orange, Yellow, Blue and Green;
- Made of durable HDPE materials keep appearance stable and flawless;
- HI intensity reflective tape provide clear visibility at night;

3 Style Base For Your Options - Wheel Base, High Legs And Extra Heavy Base



DH-EB-5



DH-EB-6



DH-EB-8



Special connectors can be turned 360 degrees



Square Area For warning signs or advertisement



Foldable and Rotatable to be other Shape

Stackable Water Filled Barrier



Top Hole for Fitting Barricade Light



Stackable for Saving Space



Available in different Color

Whether the requirement is to redirect, separate or delineate traffic, protect pedestrians from moving vehicles or provide a high visibility presence, our range of water filled safety barriers will provide you with many years of service and protection.

MODEL NO	LENGTH	HEIGHT	TOP WIDTH	BOTTOMWIDTH	WEIGHT	WATER CAPACITY
DH-SWB-1	1100MM	600MM	100MM	360MM	6.0Kg	50Kg
DH-SWB-2	1100MM	800MM	100MM	550MM	8.0Kg	80Kg

Regular Water Filled Barrier

MODEL NO	LENGTH	HEIGHT	TOP WIDTH	BOTTOM WIDTH	WEIGHT	WATER CAPACITY
DH-WB-5	1500MM	800MM	250MM	460MM	13Kg	250Kg
DH-WB-7	2000MM	650MM	150MM	450MM	17Kg	300Kg
DH-WB-8	1300MM	650MM	200MM	400MM	9.5Kg	200Kg



Water Filled Barrier with Mesh Fence



3M HIP Reflector



The Barrier could be used without Mesh

Water filled barriers with fencing offers additional protection to both property and people. Fence additions can make it considerably harder for people to view and gain access to unwanted areas, which not only protects them from harm but also helps prevent damage and theft from criminals.

Model No	Length	Barrier Height	Total Height	Barrier Weight	Water Filled Weight	Metal Fence Weight	Reflex
DH-SWB-9	120CM	60CM	180CM	6KG	25Kg	4Kg	3M HIP

Flexible GuardRail for Cycle Lane



Flexible guardrail is a special protection system that can resist the Impaction & Crushing of 5Tons Truck at 40Km/H. It is made of Flexible TPU materials and save the maintenance costs.

Features:

- 1. Effectively reduce injury for Bicycle Driver;
- 2. Bright 3M Yellow Stripe and black has a good warning effect;
- 3. Durable and high quality guarantee;
- 4. Length, corner can be customized according to actual needs.

Made of Flexible TPU and 3M HIP Tape

Made of ABS with 3M Yellow Stripe or Yellow No-Reflex Stripe

Model No	Length	Height	Bollad Wdith	Base Width	Yellow Stripe	Bearing Capacity
DH-FPR-Post-1	200CM	95CM	10CM	26x23CM	3M Yellow Stripe	5Tons at 40KM/H
DH-FPR-Post-2					Yellow No-Reflex Stripe	

Safety Drum



Mini Drum
75CM Height

US Standard Drum
105CM Height



Unbrakable
Drum Body



12Kg Recycle
Rubber Base

- Durable, blow perfect mould with excellent safety design.
- HDPE material makes it can stand and withstand high impact from other objects.
- High quality reflective tape provides nice visibility at dark night.
- Top handle makes it easy to carry around. Both sides with holes for fixing warning light.



View Testing Video

MODEL	HEIGHT	Drum Weight	Base Weight	Base Width	Drum Dia
DH-SWB-4	1050MM	4Kg	9Kg	65CM	55MM
DH-SWB-8	750MM	2.5Kg	2.5Kg	45CM	35MM

Collapsible Plastic Signs



Snap-on design, easy to change signs

Folding plastic sign is a temporary road sign. Unlike a metal sign, this product is made of HDPE material and does not rust. The folding signage bracket is a very rugged and durable. The product is very suitable for use on the road. Although lightweight, the angle design is perfect. The aerodynamic design gives the wind a strong resistance to movement and a solid grip to ground. Good base organization shortened deployment time and ensured rapid deployment of workers. There's also snaps in the aluminum plate for quickly changing the fixed anti-cursor plate.



Easy to fold, fix and carry



Can be used with water filling or sandbags as needed

Model	Unfolded size				Folding size			
	Height	Width	Length	Thickness	Width	Length	Net weight	Filled with water
DH-QSign-R70	100CM	73CM	75CM	7CM	73CM	107CM	6.5KG	16KG
DH-QSign-T70	90CM	73CM	75CM	6CM	73CM	96CM	4KG	11KG



The plastic folding bracket sign is a temporary road sign, it is with folding design, convenient for transportation and storage. And its double signage makes a better warning effect. It can be made customized pattern. Its perfect angle design gives a strong resistance to wind movement, and is stably gripped to ground. Simple to deploy, single player can operate.

- 1. Can be filled with water to add weight
- 2. Can be folded to save space
- 3. Can be customized signage content



Snap-on design, easy to change signs



Can be used with water filling or sandbags as needed

Model	Unfolded size				Folding size			
	Height	Width	Length	Thickness	Width	Length	Net weight	Filled with water
DH-QSign-T-90	120CM	90CM	140CM	6CM	90M	140CM	9KG	16KG
DH-QSign-S-60	90CM	73CM	108CM	6CM	73M	108CM	7KG	10KG
DH-QSign-S-110X60	90CM	110CM	100CM	6CM	110CM	90CM	10KG	16KG

Road Edge Guide Post



These Fully Flexible guideposts are designed to prevent maintenance requirements and put an end to the rising costs associated with maintenance on guideposts. They can be driven over hundreds of times and will return upright, unbreakable components are visible above the surface, making them almost impossible to damage.



View Testing Video

MODEL NO	SHAPE	HEIGHT	WIDTH	REFLECTOR	WEIGHT
DH-DE-8	Triangle	1250MM	120MM	2PCS x 180x46MM	1.4Kg
DH-DE-9	C-Shape	1100MM	105MM	1PCS x 180x46MM	0.6Kg
DH-DE-10	C-Shape	1200MM	120MM	2PCS x 140x40MM	1.2Kg
DH-DE-11	Triangle	1500MM	115MM	2PCS x 140x40MM	1.1Kg
DH-DE-13	C-Shape	1000MM	95MM	1PCS x 350x40MM	0.8Kg

Flexible Guide Post



3M HIP Tape meet All standard




Surface Mount and Iron-Fixing 2 Options

Compared with the traditional PVC material contour mark, we use PE material blow molding process, which will not break after impact and Crushing, and can rebound quickly without affecting normal use;

Two types of bases are available. The iron fixings can be buried in the ground, which is easy to install and use; The Molded Plastic base is fixed with special glue, which is suitable for Concrete ground;

Model No	Height	Width	Thickness	Base Style	Base Size	Reflex	Bearing Capacity
DH-DE-19A	110CM	11CM	32MM	Dig-In Steel	33CM Depth x 5Cm Width	3M HIP	20Tons at 100Km/H
DH-DE-19B				Surface Mount			

PU Delineator Flag



It's a new type of lane markings developed basing on the Curved Road to Improve Marking Line Visibility . They are made of high-strength TPU. It can effectively stop the dangerous line-changing behavior, and has good flexibility, and it will not be damaged by heavy Truck impacting & Crushing.

Reflective Glass Beads on 2 Sides

Model No	Base Size	Height	Weight	Glass Beads	Material	Reflective Film	Bearing Capacity
DH-305	115x180MM	280MM	0.5KG	6 Beads	PU	3M reflective film	20Tons at 100Km/H

Wall / Guardrail Reflector



抗紫外线



抗油污




抗冻



优质材料



The Wall / Guardrail Reflector is made of Flexible TPU, assembled with 3M reflector. Highly impact resistance with no harmful to vehicles and product. Excellent visibility at night or dark area. Mainly being used in roadside, barriers and walls, to improve traffic safety.




3M Flexible Tape with 5 Years Service-Life
Wide angle reflection
Impacting Resistance

Model No	Height	Width	Reflector Size	Materials	Reflex
DH-FGR-1	120MM	70MM	100x65MM	TPU	3M HIP
DH-FGR-2	135MM	90MM	100x76MM	TPU	3M HIP
DH-FGR-3	150MM	100MM	80MM Dia	TPU	3M HIP
DH-FGR-4	56 MM	200MM	150x50MM	PP	3M HIP

Reflective Road Stud


The road stud widely used on road as a speed hump or a road direction guidance. Helping people or vehicals stay vigilant while at night.



Cat-Eye Reflector



PC Prismatic Reflector



43 Glass Beads Reflector

MODEL	LENGTH	WDITH	HEIGHT	REFLECTOR	SHELL MATERIALS
DH-NRS-1	100MM	100MM	20MM	Cat Eyes	ABS
DH-NRS-2	220MM	120MM	25MM	Cat Eyes	ABS
DH-RS-1	100MM	100MM	20MM	PC Prism	ABS
DH-RS-2			50MM	PC Prism	Aluminum
DH-RS-3			20MM	43 Glass Bead	ABS
DH-RS-4			50MM	43 Glass Bead	Aluminum

Non-Reflective Road Stud



MODEL NO	DH-CRS-4	DH-CRS-6	DH-CRS-8
DIAMETER	100MM	150MM	200MM
HEIGHT	10MM	20MM	70MM
REFLECTOR	NO	NO	NO
WEIGHT	0.3Kg	1.5Kg	2.8Kg
COLOR	Yellow/White		

Temporary Road Marking



MODEL NO	DH-TRM-1	DH-TRM-2	DH-TRM-3
LENGTH	100MM		
WIDTH	50MM		
HEIGHT	25MM		
WEIGHT	0.1Kg		
COLOR	Yellow-Yellow	White-White	White-Red

Solar Road Stud



DH-RS-11




DH-RS-5



DH-RS-9



DH-RS-27




DH-RS-10

Solar road studs are flashing solar cell powered LED maintenance-free lighting devices used in road construction to delineate road edges and centrelines. The intense brightness of the LEDs makes them easily visible at distances of about 800 under favourable conditions.

MODEL NO	MATERIALS OF SHELL	LENGTH	WIDTH	HEIGHT	DRIVE MODEL	LED QTY	LIGHT MODEL	SOLAR PANEL	WATERPROOF GRADE	LIFE	VISUAL DISTANCE	WORKING TIME	SCREW HOLE	WEIGHT	LOAD CAPACITY
DH-RS-5	Aluminum	115MM	100MM	22MM	1.2V NI-MH Battery	6	Flash/ Steady	3V 90mA	Ip>67	>5 Years	Over 800M	60 Hours	8MM x 2	400G	20Tons
DH-RS-9	Aluminum	105MM	125MM	75MM						>5 Years				500G	20Tons
DH-RS-10	PC	110MM	87MM	24MM						>3 Years				200G	10Tons
DH-RS-11	Aluminum	100MM	110MM	23MM						>5 Years				300G	20Tons
DH-RS-27	PC	116MM	116MM	21MM						>3 Years				200G	10Tons



High Quality Reflector



Reduce The Impact



Better Adhesive

Foldable Stop /Go Paddle



Various styles

Features:

- Fully collapsible design (carry case included as standard).
- 450mm or 600mm diameter face
- Ergonomic handle underneath face.
- Solid aluminium sign face,
- Edge protection to prevent damage if dropped.
- Rubber boot on the end to help it stay put when resting.
- Scratch resistant faces.
- Collapsible design and carry case included as standard.
- Packed by Fabric Handle Bag;




Packed by Fabric Handle Bag



Fully collapsible design

MODEL NO	LENGTH	WIDTH	HEIGHT	DIAMETER
DH-NSSP-1	38MM	38MM	202MM	450MM
DH-NSSP-2	38MM	38MM	225MM	600MM

Traffic Flag



Handle Flag

Flame and weather resistant;
Dimension: 18"-24";
Made of PVC Fabric;
Hold with Long Wood Staff;



Trailer Long Loaded Flag

Flag size: 280 x 280mm
Ring size: Ø150mm
unstretched Hi-Vis Orange
PVC Material,
Elastic Shock Cord Ring!



Bunting Line

Flags are Made of Fluorescent Orange Plastic;
45pcs 26x18cm flag each line;
30meter lenth Nylon Rope;
Warning on construction site;

Plastic Chain

Normally supplied in lengths of 50metres. Two colour chains have alternate colours approximately every 40cm. Other sizes and colours available on request. We offer a cutting service if required.



MODEL NO	DIAMETER	UNIT SIZE	LENGTH	WEIGHT/ROLL	COLOR
DH-PC-4	4MM	25x18MM	50Meter/Roll	2.0Kg	Red/White
DH-PC-6	6MM	41x21MM	50Meter/Roll	3.1Kg	Red/White
DH-PC-8	8MM	50x26MM	50Meter/Roll	5.5Kg	Red/White
DH-PC-10	10MM	54x39MM	25Meter/Roll	5.2Kg	Red/White



View Testing Video


Cone Topper LED Light

Solar Cone Light provide additional visibility to the driver, It include an internal solar panel on the top of the light, a cover to the top of the base containing various electrical components, and a light source mounted atop the cover within a diffusion lens to broaden the light source beam.




MODEL NO	HEIGHT	WIDTH	WEIGHT	LIGHT SOURCE	DRIVEMODE	APPLICATION
DH-TC-SL-2	180MM	100MM	0.5Kg	6 LED	Solar	4cm Topper Hole of Cone
DH-TC-SL-3	20MM	80MM	0.2Kg	4 LED	Solar	4cm Topper Hole of Cone
DH-BL-10	250MM	150MM	0.8Kg	4 LED	4R25 Battery	HDPE Cone Topper

LED Barricade Light



MODEL NO	MATERIALS	TOTAL HEIGHT	LIGHT AREA SIZE	BATTERY	LED QTY	FUCTION	WORKING HOURS	VISUAL DISTANCE	APPLICATION
DH-HBBL-2	PP+PC	250MM	180MM	TWO D Battery	2	Flash Steady	600 Hours	800M	Water Filled Barrier
DH-HBBL-3	PP+PC	330MM	180MM	FOUR D Battery	2	Flash Steady	100 Hours	800M	Safety Drum
DH-HBBL-4	PP+PC	260MM	180MM	TWO 6V 4R25 Battery	2	Flash Steady	100 Hours	800M	Fence Barrier
DH-HBBL-5	PP+PC	310MM	180MM	One 6V 4R25 Battery	2	Flash Steady	50 Hours	800M	Delineator Panel

Caution Tape Danger Tape Stripe Tape



- Caution Tape are a quick & effective way to create a visual fortress around temporary hazards.
- This lightweight tape can be tied, stapled or nailed to posts, fences or barricades.
- Ideal for outdoor or indoor application such as crowd and traffic control.
- Available in 50mm, 75mm and 100mm Width Each Roll.

Permanent Marking Tape



Available in 6 Colors



Fix onto Ground Easily by Self-Adhesive



Glass Bead Embed

Permanent marking tape are embedded micro glass beads both on surface, has a durable, reflective & skidproof effect. Designed to stripe asphalt parking lots, roads, bike paths and any other area where the road will subject to heavy traffic flow and high visibility delineation is needed.

Anti-Skid Tape




A quick, easy and inexpensive way to mark aisles and physical hazards. This highly visible, pressure-sensitive vinyl tape is self-wound with a permanent adhesive, and is protected with an adrasion resistant clear laminate that resists oil, dirt and chemicals.

Traffic Batton



When it comes to night time road work, one of the most straight forward means to avoid accidents involving traffic, is to have traffic control specialists. There should always be someone from your crew that establishes a safe traffic pattern around your work site, and then implements a system for traffic to pass through uninhibited. At night however, stop and slow paddles may be hard to see. This is why for low light conditions you should consider utilizing illuminated traffic safety batons. These traffic batons are ideal because they can easily be seen by passing motorists. They can also be seen from a greater distance, so motorists will start slowing down earlier.



MODEL NO	MATERIALS	LENGTH	DIAMETER	DRIVE MODEL	LED QTY	FLASH	STEADY	TOP LIGHT	WHISTLE	MAGNET	RECHARGEABLE	EXPANDABLE	UNBREAKABLE	SLING	IRON BUCKLE
DH-LTB-33-50AA	PC	330/500MM	30MM	AAA Battery	7	✓	✓	✓	✓	✓		✓	✓	✓	✓
DH-LTB-233R	ABS+PP	365MM	40MM	AA Battery	5	✓	✓	✓		✓				✓	✓
DH-LTB-250R	ABS+AS	280MM	30MM	AAA Battery	10	✓	✓	✓		✓					
DH-LTB-260R	ABS+PC	260MM	40MM	AA Battery	19	✓	✓	✓		✓			✓	✓	✓
DH-LTB-260R-AA	ABS+PC	300MM	40MM	AA Battery	19	✓	✓	✓	✓	✓			✓	✓	✓
DH-LTB-273	ABS+PC	270MM	30MM	AA Battery	11	✓	✓	✓		✓			✓	✓	✓
DH-LTB-293	ABS+PC	290MM	30MM	AA Battery	6	✓	✓	✓	✓	✓	✓		✓		
DH-LTB-395	PC	400MM	40MM	AA Battery	15	✓	✓	✓	✓				✓		
DH-LTB-700	ABS+PVC	520MM	30MM	C Battery	6	✓	✓								
DH-LTB-700R-1	ABS+PVC	520MM	30MM	C Battery	7	✓	✓	✓						✓	✓
DH-LTB-700R-AA	ABS+PVC	555MM	30MM	C Battery	6	✓	✓		✓					✓	✓
DH-LTB-900	ABS+PVC	540MM	40MM	D Battery	6	✓	✓							✓	✓
DH-LTB-M9002R-AA	ABS+PVC	540MM	40MM	AA Battery	7	✓	✓	✓	✓	✓				✓	✓
DH-LTB-M9002R-AA-RE	ABS+PVC	540MM	40MM	AA Battery	7	✓	✓	✓	✓	✓	✓			✓	✓



EASTSEA RUBBER
东海橡胶

HANGZHOU 杭州

- SHANGHAI 上海
- NINGBO 宁波
- SANMEN 三门
- WENZHOU 温州

ZheJiang Eastsea Rubber Factory
Add: GaoJian Industry Zone, SanMen, ZheJiang, China
Zip: 317102
Foreign Trade Department
Tel: 0576-83180830 / 13665796686
Fax: 0576-83180836
Email: Sale@zjeastsea.com Rubber@msn.cn
Http://www.zjeastsea.com

浙江省三门县东海橡胶厂
地址：浙江省三门高视开发区
邮编: 317102
内贸部 Domestic Trade Dept
电话：0576-83180831 83118208
传真：0576-83118316
邮箱：Trade@zjeastsea.com Eastsea@zjeastsea.com
网址：www.zjeastsea.com/cn



Scan For Detailed
Products Info